



中国国家强制性产品认证证书

证书编号: 2024010305681643

认证委托人名称及地址

建兴电机株式会社

(Jang-an-dong) 183, Hancheon-ro, Dongdaemun-gu, Seoul, Korea

生产者名称及地址

建兴电机株式会社

(Jang-an-dong) 183, Hancheon-ro, Dongdaemun-gu, Seoul, Korea

生产企业名称及地址

建兴电机株式会社

(Jang-an-dong) 183, Hancheon-ro, Dongdaemun-gu, Seoul, Korea

产品名称和系列、型号、规格

按钮开关

KPB16, KSL16, KBL16, KEPB16, KEBL16; Uimp:1.5kV; Ui:250V; Ue:250V;
Ie:3A; Ith:3A; 使用类别:AC-15; 安装孔径: Φ 16, KPB16, KSL16, KBL16:IP40
KEPB16, KEBL16: IP65

产品标准和技术要求

GB/T 14048.5-2017

上述产品符合《强制性产品认证实施规则 低压电器 低压元器件》
(CNCA-C03-02:2024) 的要求, 特发此证。

发证日期: 2025 年 01 月 14 日 有效期至: 2029 年 09 月 01 日

本证书为变更证书, 证书首次颁发日期: 2024 年 09 月 02 日
证书信息和有效性可扫描下方二维码或登录发证机构网站查验,
也可在认监委网站 (www.cnca.gov.cn) 查询。



签发:

谢肇煦



中国质量认证中心
CHINA QUALITY CERTIFICATION CENTRE

中国质量认证中心有限公司





中国国家强制性产品认证证书

证书编号: 2024010305681643

证书附页: 第 1 页 共 2 页

控制按钮开关

KPB 16 □□-□□

①②③④

① -: round 圆形 | S: Square 方形 | R: Rectangular 矩形

② M: Momentary action 瞬间动作 | A: Alternate action 交替动作

③ R: red 红 | G: green 绿 | Y: yellow 黄 | O: orange 橙 | W: white 白 | B: blue 蓝

④ 1: 1C contact | 2: 2C contact

选择按钮开关

KSL 16 □□-□□□□

①②③④⑤⑥

① -: Round 圆形 | S: Square 方形 | R: Rectangular 矩形

② S2: 2 step (manual return) | S3: 3 step(manual return) | AS3: 3 step(Automatic return) |

K2: 2 Step(manual return with key) | K3: 3 Step(manual return with key) |

AK3: 3 step(automatic return with key)

③ -: no illumination | F: filament lamp | L: LED lamp

④ Lamp voltage 1C: 6V | 2C: 12V | 3C: 24V

⑤ R: red 红 | G: green 绿 | Y: yellow 黄 | O: orange 橙 | W: white 白 | B: blue 蓝

⑥ 1: 1C contact | 2: 2C contact

紧急按钮开关

KEPB 16 □-□□

①②③

① ER: push-lock & turn reset

② R: red 红 | G: green 绿 | Y: yellow 黄

③ 1A: 1A contact | 2A: 2A contact | 1B: 1B contact | 2B: 2B contact | 1A1B: 1A1B contact

本页为证书附页, 应与证书主页同时使用。



中国质量认证中心

CHINA QUALITY CERTIFICATION CENTRE

中国质量认证中心有限公司



中国国家强制性产品认证证书

证书编号: 2024010305681643

证书附页: 第 2 页 共 2 页

紧急指示按钮开关

KEBL 16 □-□□□□

① ② ③ ④ ⑤

- ① ER: push-lock & turn reset
- ② -: filament lamp | L: LED lamp
- ③ Lamp voltage 1C: 6V | 2C: 12V | 3C: 24V
- ④ R: red 红 | G: green 绿 | Y: yellow 黄
- ⑤ 1A: 1A contact | 2A: 2A contact | 1B: 1B contact | 2B: 2B contact | 1A1B: 1A1B contact

指示按钮开关

KBL 16 □□-□□□□

① ② ③ ④ ⑤ ⑥

- ① -: Round | S: Square | R: Rectangular
- ② M: Momentary action | A: Alternate action
- ③ -: filament lamp | L: LED lamp
- ④ Lamp voltage 1C: 6V | 2C: 12V | 3C: 24V
- ⑤ R: red 红 | G: green 绿 | Y: yellow 黄 | O: orange 橙 | W: white 白 | B: blue 蓝
- ⑥ 1: 1C contact | 2: 2C contact

本页为证书附页，应与证书主页同时使用。



中国质量认证中心
CHINA QUALITY CERTIFICATION CENTRE

中国质量认证中心有限公司



CERTIFICATE FOR CHINA COMPULSORY PRODUCT CERTIFICATION

本翻译文件不具有法律效力，
不得单独使用
This translated document
does not have legal validity and
cannot be used in isolation

CERTIFICATE NO.: 2024010305681643

NAME AND ADDRESS OF THE APPLICANT

KUN HUNG ELECTRIC CO.,LTD.
(Jang-an-dong)183,Hancheon-ro,Dongdaemun-gu, Seoul, Korea

NAME AND ADDRESS OF THE MANUFACTURER

KUN HUNG ELECTRIC CO.,LTD.
(Jang-an-dong)183,Hancheon-ro,Dongdaemun-gu, Seoul, Korea

NAME AND LOCATION OF THE FACTORY

KUN HUNG ELECTRIC CO.,LTD.
(Jang-an-dong)183,Hancheon-ro,Dongdaemun-gu, Seoul, Korea

PRODUCT NAME,MODEL AND SPECIFICATION

Push-button Switch
KPB16 , KSL16 , KBL16 , KEPB16 , KEBL16 ; Uimp:1.5kV ; Ui:250V ; Ue:250V ; Ie:3A ; Ith:3A ;
Utilization Category:AC-15 ;Installation hole diameter :Φ16 , KPB16 ,KSL16 ,KBL16:IP40 KEPB16 ,
KEBL16: IP65

STANDARDS AND TECHNICAL REQUIREMENTS FOR THE PRODUCTS

GB/T 14048.5-2017

This is to certify that the above mentioned product(s) complies with the requirements of
implementation rules for compulsory certification(REFNO. CNCA-C03-02:2024).

Valid from: Jan.14,2025

Valid until: Sep.01,2029

Date of original issued: Sep.02,2024

The certificate information and validity could be checked by scanning the QR code below or logging in to
the website of the issuing authority, or on the website of the CNCA (www.cnca.gov.cn).



SIGNATURE:

谢肇煦



中国质量认证中心
CHINA QUALITY CERTIFICATION CENTRE

CHINA QUALITY CERTIFICATION CENTRE CO., LTD.





CERTIFICATE FOR CHINA COMPULSORY PRODUCT CERTIFICATION

CERTIFICATE NO. : 2024010305681643

Appendix: Page 1 of 2

本翻译文件不具有法律效力，
不得单独使用
This translated document
does not have legal validity and
cannot be used in isolation

控制按钮开关

KPB 16 □□-□□□

①②③④

① -: round 圆形 | S: Square 方形 | R: Rectangular 矩形

② M: Momentary action 瞬间动作 | A: Alternate action 交替动作

③ R: red 红 | G: green 绿 | Y: yellow 黄 | O: orange 橙 | W: white 白 | B: blue 蓝

④ 1: 1C contact | 2: 2C contact

选择按钮开关

KSL 16 □□-□□□□

①②③④⑤⑥

① -: Round 圆形 | S: Square 方形 | R: Rectangular 矩形

② S2: 2 step (manual return) | S3: 3 step(manual return) | AS3: 3 step(Automatic return) |

K2: 2 Step(manual return with key) | K3: 3 Step(manual return with key) |

AK3: 3 step(automatic return with key)

③ -: no illumination | F: filament lamp | L: LED lamp

④ Lamp voltage 1C: 6V | 2C: 12V | 3C: 24V

⑤ R: red 红 | G: green 绿 | Y: yellow 黄 | O: orange 橙 | W: white 白 | B: blue 蓝

⑥ 1: 1C contact | 2: 2C contact

紧急按钮开关

KEPB 16 □-□□

①②③

① ER: push-lock & turn reset

② R: red 红 | G: green 绿 | Y: yellow 黄

③ 1A: 1A contact | 2A: 2A contact | 1B: 1B contact | 2B: 2B contact | 1A1B: 1A1B contact

This page is attached to the certificate and should be used at the same time as the certificate page.



中国质量认证中心
CHINA QUALITY CERTIFICATION CENTRE

CHINA QUALITY CERTIFICATION CENTRE CO., LTD.



CERTIFICATE FOR CHINA COMPULSORY PRODUCT CERTIFICATION

CERTIFICATE NO. : 2024010305681643

Appendix : Page 2 of 2

本翻译文件不具有法律效力，
不得单独使用
This translated document
does not have legal validity and
cannot be used in isolation

紧急指示按钮开关

KEBL 16 □-□□□□

① ② ③ ④ ⑤

- ① ER: push-lock & turn reset
- ② -: filament lamp | L: LED lamp
- ③ Lamp voltage 1C: 6V | 2C: 12V | 3C: 24V
- ④ R: red 红 | G: green 绿 | Y: yellow 黄
- ⑤ 1A: 1A contact | 2A: 2A contact | 1B: 1B contact | 2B: 2B contact | 1A1B: 1A1B contact

指示按钮开关

KBL 16 □□-□□□□

① ② ③ ④ ⑤ ⑥

- ① -: Round | S: Square | R: Rectangular
- ② M: Momentary action | A: Alternate action
- ③ -: filament lamp | L: LED lamp
- ④ Lamp voltage 1C: 6V | 2C: 12V | 3C: 24V
- ⑤ R: red 红 | G: green 绿 | Y: yellow 黄 | O: orange 橙 | W: white 白 | B: blue 蓝
- ⑥ 1: 1C contact | 2: 2C contact

This page is attached to the certificate and should be used at the same time as the certificate page.



中国质量认证中心
CHINA QUALITY CERTIFICATION CENTRE

CHINA QUALITY CERTIFICATION CENTRE CO., LTD.