## CERTIFICATE OF COMPLIANCE

Certificate Number UL-CA-L191305-51-52608002-0

**Report Reference** E191305-20080625

Date 19-Nov-2022

Issued to: KUN HUNG ELECTRIC CO LTD

183 Hancheon-ro Dongdaemun-gu Seoul 130-836

Republic of Korea

This is to certify that representative samples of

NKCR8 - Auxiliary Devices Certified for Canada -

Component

See Addendum Page for Product Designation(s).

Have been evaluated by UL in accordance with the component requirements in the Standard(s) indicated on this Certificate. UL Recognized components are incomplete

in certain constructional features or restricted in

performance capabilities and are intended for installation in complete equipment submitted for investigation to UL LLC.

Standard(s) for Safety: Standard for Industrial Control Equipment, CAN/CSA C22.2

No. 14-13

Additional Information: See the UL Online Certifications Directory at

https://iq.ulprospector.com for additional information

This Certificate of Compliance indicates that representative samples of the product described in the certification report have met the requirements for UL certification. It does not provide authorization to apply the UL Recognized Component Mark. Only the Authorization Page that references the Follow-Up Services Procedure for ongoing surveillance provides authorization to apply the UL Mark.

Only those products bearing the UL Recognized Component Mark should be considered as being UL Certified and covered under UL's Follow-Up Services.

Look for the UL Recognized Component Mark on the product.

Deborah Jennings-Conner. VP Regulatory Services

UL LLC



## CERTIFICATE OF COMPLIANCE

Certificate Number UL-CA-L191305-51-52608002-0

**Report Reference** E191305-20080625

Date 19-Nov-2022

This is to certify that representative samples of the product as specified on this certificate were tested according to the current UL requirements

Model	Category Description
KEPB, followed by 16 or 160, followed by ER, may be followed by S, may be followed by L, may be followed by 1C, 2C or 3C, may be followed by R, G or Y, followed by 1A, 2A, 1B, 2B or 1A1B.	Push lock and turn reset type switches
KPB, followed by 16, followed by S, R or blank, followed by M or AT, may be followed by L, may be followed by 1C, 2C or 3C, followed by R, G, Y, O, W or B, followed by 1 or 2	Push button switches
Series KBL, followed by 16, followed by S, R or blank, followed by M or AT, may be followed by L, may be followed by 1C, 2C or 3C, followed by R, G, Y, O, W or B, followed by 1 or 2	Push button switches
Series KEBL, followed by 16 or 160, followed by ER, may be followed by S, may be followed by L, may be followed by 1C, 2C or 3C, may be followed by R, G or Y, followed by 1A, 2A, 1B, 2B or 1A1B.	Push lock and turn reset type switches
Series KSL, followed by 16, followed by S, R or blank, followed by S2, S3, K2 or K3, followed by F, L or blank, followed by 1C, 2C or 3C, followed by R, G, Y, O, W or B, followed by 1 or 2.	Select switches
Series NF22, followed by L, P, B, S or K, followed by M, A, 2, 3, A2, A3, K2, K3, AK3 or blank, may be followed by 1C, 2C or 3C, may be followed by R, G, Y, W, B or O, may be followed by 1 or 2.	Industrial control switches

Debrah Jennings-Course

(UL)

Deborah Jennings-Conner, VP Regulatory Services