



中国国家强制性产品认证证书

证书编号：2019010305148361

委托人名称、地址

建兴电机株式会社

(Jang-an-dong) 183, Hancheon-ro, Dongdaemun-gu, Seoul, Korea

生产者（制造商）名称、地址

建兴电机株式会社

(Jang-an-dong) 183, Hancheon-ro, Dongdaemun-gu, Seoul, Korea

生产企业名称、地址

建兴电机株式会社

(Jang-an-dong) 183, Hancheon-ro, Dongdaemun-gu, Seoul, Korea

产品名称和系列、规格、型号

带灯按钮开关

NS22(型号解释详见附件); Uimp:6kV; Ui:600V; Ith:10A; AC-15:250V/3A,
DC-13:250V/0.27A; φ22; IP66(仅操作面)

产品标准和技术要求

GB/T14048.5-2017

上述产品符合强制性产品认证实施规则 CNCA-C03-02:2014 的要求，
特发此证。

发证日期：2019年01月21日 有效期至：2024年01月21日

证书有效期内本证书的有效性依据发证机构的定期监督获得保持。

本证书的相关信息可通过国家认监委网站 www.cnca.gov.cn 查询



主任：

陆楠



中国质量认证中心



CERTIFICATE FOR CHINA COMPULSORY PRODUCT CERTIFICATION

CERTIFICATE NO.: 2019010305148361

NAME AND ADDRESS OF THE APPLICANT

KUN HUNG ELECTRIC CO.,LTD.
(Jang-an-dong)183,Hancheon-ro,Dongdaemun-gu, Seoul, Korea

NAME AND ADDRESS OF THE MANUFACTURER

KUN HUNG ELECTRIC CO.,LTD.
(Jang-an-dong)183,Hancheon-ro,Dongdaemun-gu, Seoul, Korea

NAME AND ADDRESS OF THE FACTORY

KUN HUNG ELECTRIC CO.,LTD.
(Jang-an-dong)183,Hancheon-ro,Dongdaemun-gu, Seoul, Korea

PRODUCT NAME, MODEL AND SPECIFICATION

Button switch with lamp
NS22(See the Appendix for type explanation); Uimp:6kV; Ui:600V; Ith:10A; AC-15:250V /3A, DC-13:250V/0.27A; φ22; IP66(Working face)

THE STANDARDS AND TECHNICAL REQUIREMENTS FOR THE PRODUCTS

GB/T14048.5-2017

This is to certify that the above mentioned product(s) complies with the requirements of implementation rules for compulsory certification(REFNO.CNCA-C03-02:2014).

Valid from: Jan.21,2019

Valid until: Jan.21,2024

The validity of the certificate is subject to positive result of the regular follow up inspection by issuing certification body until the expiry date.

The certificate information is available through CNCA's website: www.cnca.gov.cn



President:

Lu Mei



CHINA QUALITY CERTIFICATION CENTRE



中国国家强制性产品认证证书

附 录

第 1 页 共 1 页

证书编号: 2019010305148361

纸 号: 2193204

型号的解釋:

NS22-□□-□□□带灯按钮开关

① ②③④⑤⑥

① Mounting hole : $\Phi 22$

② Type

B: Illuminated Push Button

D : Double button

③ Actuator

M : Momentary

A : Alternate (Push Lock & Push Reset

EM : Momentary (Mushroom Type)

ER : Alternate (Push Lock & Turn Reset, Mushroom Type)

2 : 2steps manual return

3 : 3steps manual return

A2: 2steps auto(spring) return

A3: 3steps auto(spring) return

3R: 3steps(left-manual / right-auto return)

④ Lamp

None : Filament, L : LED

⑤ Input Voltage

1A:AC/DC110V 50/60Hz, 2A:AC/DC220V 50/60Hz(LED type only),

1A: 110V AC 50/60Hz, 12A: 120VAC 50/60Hz, 2A: 220V AC 50/60Hz,

3A: 230V AC 50/60Hz, 24A: 240VAC 50/60Hz, 4A: 380V AC 50/60Hz,

5A:440V AC 50/ 60Hz(Transformer) ,

1C:6V AC/DC, 2C:12V AC/DC, 3C:24V AC/DC(DC volt.: LED only) ,

1D:48V DC, 2D: 110V DC, 12D:120V DC, 3D:125V DC, 4D:220V DC,

24D: 240VDC(Transformer LED only)

⑥ Cap color

R : Red

G : Green

Y : Yellow

B : Blue

W : White

O : Orange (Amber)

BK: Black (Not available with lamp type)

C : Clear

注: 此附录与证书同时使用时有效。



主 任:

陆杨



中国质量认证中心